8.0 REFERENCES

AENV (Alberta Environment). 1990a. A Review of Approaches for Setting Acidic Deposition Limits in Alberta. Special Report of Alberta Environment Protection. 63 pp.

AENV. 1990b. Selected methods for the monitoring of benthic invertebrates in Alberta rivers. Environmental Quality Monitoring Branch, Environmental Assessment Division. Alberta Environment. 41 pp.

AENV. 1999a. Regional Sustainable Development Strategy for the Athabasca Oil Sands Area. Alberta Environment Report. Publication No. 1/754. ISBN 0-7785-0680-0.

AENV. 1999b. Surface water quality guidelines for use in Alberta. November 1999. Environmental Assurance Division, Science and Standards Branch, Edmonton, AB.

AEP (Alberta Environmental Protection). 1994. Ecological Land Survey Site Description Manual. Alberta Environmental Protection. Resource Information Branch, Finance, Land Information and Program Support Services. Edmonton, AB.

AEP. 1997. Draft Alberta Wetlands Policy. Environmental Assessment Division, Environmental Regulatory Service. Edmonton, AB.

Alberta Department of Energy, 2003, Natural Gas - Statistics 2003 Statistics (Online) http://www.energy.gov.ab.ca/303.asp

Alberta Department of Energy, 2003, Natural Gas - Statistics 2003 Statistics (Online) http://www.energy.gov.ab.ca/303.asp

Alberta-Pacific Forest Industries Inc. 2004, Forest Management Area. (Online) http://www.alpac.ca/

Alberta-Pacific Forest Industries Inc. 2004, Forest Management Area. (Online) http://www.alpac.ca/

Anderson, T.C. and B.P. McDonald. 1978. A portable weir for counting migrating fishes in rivers. Fish. Mar. Serv. Tech. Rep. 773: 13 p.

APHA (American Public Health Association). 1989. Standard Methods for the Examination of Waste and Wastewater. 16th Edition. American Public Health Association. Washington, D.C.

ATSDR (Agency for Toxic Substances and Disease Registry). 1995. Toxicological profile for polycyclic aromatic hydrocarbons. US Dept. of Health and Human Services, Washington, DC.

Ayles, G.B., M. Dube, and D. Rosenberg. 2004. Oil sands regional aquatic monitoring program (RAMP) Scientific Peer Review of the Five Year Report (1997-2001). submitted to RAMP Steering Committee, February 13, 2004. 116 pp.

Bailey, R.C., M.G. Kennedy, M.Z. Dervish and R.M. Taylor. 1998. Biological assessment of freshwater ecosystems using a reference condition approach: comparing predicted and actual benthic invertebrate communities in Yukon streams. Freshwater Biology, 39:765-774.

Barbour, M.G., J.H. Burk and W.D. Pitts. 1987. Terrestrial Plant Ecology. Second Edition. The Benjamin/Cummings Publishing Company, Inc. Menlo Park, CA.

BC MOELP (British Columbia Ministry of Environment, Lands and Parks). 1998. Manual of Standard Operating Procedures for Hydrometric Surveys in British Columbia. Version 1.0. Resources Inventory Branch for the Aquatic Inventory Task Force, Resources Inventory Committee.

Beamish, R.J. 1973. Determination of age and growth of populations of the white sucker (Catostomus commersoni) exhibiting a wide range in size at maturity. J. Fish. Res. Board Can. 30: 607-616.

Beamish, R.J. and A.H. Harvey. 1969. Age determination in white sucker. J. Fish. Res. Board Can. 26: 633-638.

Birch Mountain Resources Ltd. March 15, 2004. Application to the Natural Resources Conservation board and Alberta Environment. Calgary Alberta

Birch Mountain Resources Ltd. March 15, 2004. Application to the Natural Resources Conservation board and Alberta Environment. Calgary Alberta

Bode, R.W., M.A. Novak and L.E. Abele. 1996. Quality assurance work plan for biological stream monitoring in New York State. NYS Department of Environmental Conservation, Albany, NY. 89p.

Bohlin, T., T.G. Heggberget and C. Strange. 1990. Electric fishing for sampling and stock assessment. In: I.G. Cowx and P. Lamarque (eds.), Fishing with Electricity, Applications in Freshwater Fisheries Management. Fishing News Books, Oxford, UK. pp. 112-139.

Bond, W.A. and K. Machniak. 1979. An Intensive Study of the Fish Fauna of the Muskeg River Watershed of Northeastern Alberta. Prepared for Alberta Oil Sands Environmental Research Program by Environment Canada, Freshwater Institute. AOSERP Report 76. 180 pp.

Bouloubassi, I. and A. Saliot. 1991. Dissolved, particulate and sedimentary naturally occurring polycyclic aromatic hydrocarbons in a coastal environment. Geochemical significance. Mar. Chem. 42: 127-143.

Brakke, D.F., A. Henriksen and S.A. Norton. 1987. The relative importance of acidity sources for humic lakes in Norway. Nature 329: 432-434

Brassard, P. J.R. Kramer and P.V. Collins. 1990. Binding site analysis using linear programming. Environ. Sci. Technol. Vol. 24:195-201.

Brewer, R., M. Sekela, S. Sylvestre, T. Tuominen and G. Moyle. 1998. Contaminants in bed sediments from 15 reaches of the Fraser River basin. Fraser River Action Plan report 1997-37. Environment Canada, Vancouver, BC.

Brinkhurst, R.O. 1989. Guide to the Freshwater Aquatic Microdrile Oligochaetes of North America. Can. Special Pub. Fish. Aquat. Sci. 84. Ottawa, ON. 259 pp.

Brooks, A.R. and L.A. Kelton. 1967. Aquatic and Semiaquatic Heteroptera of Alberta, Saskatchewan, and Manitoba (Hemiptera). Mem. Ent. Soc. Can. 51 pp.

Burland, G.R. 1994. An Identification Guide to Alberta Aquatic Plants. Prepared for Alberta Environmental Protection. Edmonton, AB.

Butcher, G.A. 2001. Water quality criteria for aluminum. Overview report. British Columbia Ministry of Water, Land and Air Protection, Victoria, BC.

Canadian Council of Ministers of the Environment. 1999. Canadian Environmental Quality Guidelines. http://www.ccme.ca

Cantrell, K.J., S.M. Serkiz and E.M. Perdue. 1990. Evaluation of acid neutralizing capacity data for solutions containing natural organic acids. Geochimica et Cosmochimica Acta. 54: 1247-1254.

CCME (Canadian Council of Ministers of the Environment). 1999. Canadian sediment quality guidelines for the protection of aquatic life: Polycyclic aromatic hydrocarbons. CCME, Winnipeg, MB.

CCME. 2001a. Canada-wide Standards for Petroleum Hydrocarbons (PHC) in Soil. CCME, Winnipeg, MB.

CCME. 2001b. Canadian tissue residue guidelines for the protection of wildlife and consumers of aquatic biota. Summary Table. Updated. In: Canadian environmental quality guidelines, 1999, Canadian Council of Ministers of the Environment, Winnipeg.

CCME. 2002. Canadian Environmental Quality Standards (update). CCME, Winnipeg, MB.

CEMA (Cumulative Effects Management Association). 2001. Sustainable Ecosystem Working Group, Terms of Reference and Work Plan, August 2001.

CFIA (Canadian Food Inspection Agency). 2003. Canadian guidelines for chemical contaminants and toxins in fish and fish products. Canadian Food Inspection Agency, Animal Products Directorate, Fish, Seafood and Production, Product Inspection. (www.inspection.gc.ca/english/anima/fispoi/guide/chme.shtml). September 24, 2003.

Clair, T.A., T.L. Pollock, P. Collins and J.R. Kramer. 1992. How brownwaters are influenced by acidification: the HUMEX lake case study. Environ. Int. Vol. 18: 589-596.

Clifford, H.F. 1991. Aquatic Invertebrates of Alberta. University of Alberta Press. Edmonton, AB.

CNRL (Canadian Natural Resources Ltd.). 2002. Horizon Oil Sands Project, Application for Approval. Submitted to: Alberta Energy and Utilities Boards and Alberta Environment. June 2002.

Cummins, K.W. 1962. An Evaluation of Some Techniques for the Collection and Analysis of Benthic Samples with Special Emphasis on Lotic Waters. American Midland Naturalist. 67: 477-504.

Currie, D.C. 1986. An Annotated List of and Keys to the Immature Black Flies of Alberta (Diptera: Simuliidae). Mem. ent. Soc. Can. 136.

deKlerk, Arjen; Regional Municipality of Wood Buffalo Planning and Development Department, (telephone communication March 1. 2005).

Dillon, P.J. and L.A. Molot. 1990. The role of ammonium and nitrate in the acidification of lakes and forested catchments. Biogeochem. 11: 23-43.

Driscoll, C.T., R.D. Fuller and W.D. Schecher. 1989. The role of organic acids in the acidification of surface waters in the Eastern U.S. Water, Air, Soil Pollut. Vol. 43: 21-40.

Dupont, J. and Y. Grimard. 1986. Systematic study of lake water acidity in Quebec. Water, Air, Soil Pollut. 31: 223-230.

Edmunds, G.F., Jr., S.L. Jensen and L. Berner. 1976. The Mayflies of North and Central America. University of Minnesota Press. Minneapolis. 330 pp.

Eisler, R. 1987a. Polycyclic aromatic hydrocarbon hazards to fish, wildlife, and invertebrates: a synoptic review. U.S. Fish Wildl. Serv. Biol. Rep. 85(1.11).

Eisler, R. 1987b. Mercury hazards to fish, wildlife, and invertebrates: a synoptic review. U.S. Fish and Wildlife Service Biological Report 85(1.10). 90 pp.

Engstrom, D.R. 1987. Influence of vegetation and hydrology on the humus budgets of Labrador Lakes. Can. J. Fish Aquat. Sci. 44: 1306-1314.

Environment Canada. 1992. Aquatic environmental effects monitoring requirements. Annex 1: Aquatic environmental effects monitoring requirements at Pulp and Paper mills and off-site treatment facilities under the pulp and paper effluent regulations of the Fisheries Act, May 20, 1992. Conservation and Protection, Ottawa.

Environment Canada. 1993. Guidelines for Monitoring Benthos in Freshwater Environments. Prepared for Environment Canada, Environmental Protection. Prepared by EVS Consultants. Vancouver, BC.

Environment Canada. 2001. Metal mining guidance document for aquatic Environmental Effects Monitoring. June 2001. Ottawa.

Environment Canada. 2002. Metal mining guidance document for aquatic environmental effects monitoring. June 2002.

Environment Canada. 2003. Annual precipitation data. www.climate.weatheroffice.ec.gc.ca/climateData/monthlydata.html. Published by the Climate and Weather Office.

Environment Canada. 2004. Environmental Effects Monitoring Guidelines for Pulp and Paper. Environment Canada, Gatineau, QC.

EPA. 2001b. Method 1631 protocol U.S. EPA,

Epler, J.H. 2001. Identification Manual for the Larval Chironomidae (Diptera) of North and South Carolina. Prepared for North Carolina Department of Environment and Natural Resources.

Erickson, P.K. 1987. An Assessment of the Potential Sensitivity of Alberta Lakes to Acidic Deposition. Special Report: Water Quality Control Branch, Pollution Control Division, Alberta Environment. 137pp. 1987.

Eshleman, K.N and H.F. Hemond. 1985. The role of organic acids in the acid-base status of surface waters at Bickford watershed, Massachusetts. Water Resour. Res. 1985. Vol. 21: 1503-1510.

Forsius, M.F. 1992. Acidification of lakes in Finland: Regional estimates of lake chemistry and critical loads. National Board of Waters and the Environment, Helsinki (Finland) Publications of the Water and Environment Research Institute 10(0): 1-37.

Gauch, H.G. Jr. 1982. Multivariate Analysis in Community Ecology. Cambridge University Press.

Gaufin, A.R. 1973. Use of aquatic invertebrates in the assessment of water quality. Biological Methods for the Assessment of Water Quality. ASTM STP 528, American Society for Testing and Materials, 1973, pp. 96-116.

Glozier, N.E., J.M. Culp and D. Halliwell. 2002. Revised guidance for sample sorting and subsampling protocols for EEM benthic invertebrate community surveys. Prepared by: Environment Canada. August 2002.

Goede, R.W. 1993. Fish health/condition assessment procedures. Parts 1 and 2. Procedures manual and color atlas of autopsy classification categories. Utah Division of Wildlife Resources. Logan, Utah.

Goede, R.W. and B.A Barton. 1990. Organismic indices and an autopsy-based assessment as indicators of health and condition of fish. Am. J. Fish. Soc. Symp. 8: 93-108.

Golder (Golder Associates Ltd.). 1996. Shipyard Lake Environmental Baseline Group. Prepared for Suncor Inc., Oil Sands Group. Fort McMurray, AB. 22 pp. + Appendices.

Golder. 1999a. Oil Sands Regional Aquatic Monitoring Program: field technical procedures. Final report submitted to the RAMP Steering Committee.

Golder. 1999b. Oil Sands Regional Aquatics Monitoring Program (RAMP) 1998. Final report for the RAMP Steering Committee. 183 pp. + Appendices.

Golder. 2001. Oil Sands Regional Aquatics Monitoring Program (RAMP) 2000. Final report for the RAMP Steering Committee.

Golder. 2002a. Oil Sands Regional Aquatics Monitoring Program (RAMP) Program design and rationale – Version 2. A report to the RAMP Steering Committee.

Golder. 2002b. Oil Sands Regional Aquatics Monitoring Program (RAMP) 2001. Volume I: Chemical and biological monitoring. Annual report prepared for the RAMP Steering Committee. Calgary, AB.

Golder. 2003a. Oil Sands Regional Aquatics Monitoring Program (RAMP) five year report. May 2003. March 2003 Draft. Prepared for: the RAMP Steering Committee. Calgary, Alberta.

Golder. 2003b. Oil Sands Regional Aquatics Monitoring Program (RAMP) 2002. Prepared for the RAMP Steering Committee. Calgary, AB.

Gorham, E, S.E. Bayley and D.W. Schindler. 1984. Ecological effects of acid deposition upon peatlands: A neglected field in "acid-rain" research. Can. J. Fish. Aquat. Sci. 41: 1256-1268.

Halsey, L. and D.H. Vitt. 1996. Alberta wetland inventory standards – Version 10.0 in Nesby R. (ed.). Alberta Vegetation Inventory Standards Manual 1997. Alberta Environmental Protection, Resource Data Division.

Hedin, L.O., G.E. Likens, K.M. Postek and C.T. Driscoll. 1990. A field experiment to test whether organic acids buffer acid deposition. Nature. Vol. 345: 798-800.

Hemond, H. 1980. Biogeochemistry of Thoreau's bog, Concord, Massachusetts. Ecological Monographs 50: 507-526.

Henriksen, A. 1980. Acidification of freshwaters - a large scale titration. In: D. Drablos and A. Tollan (eds.), Ecological Impact of acid precipitation. Proc. Int. Conf. Ecol. Impact Acid Precip., Norway 1980. pp. 68-73.

Henriksen, A. and D.F. Brakke. 1988. Sulfate deposition to surface waters: Estimating critical loads for Norway and the eastern United States. Environ. Sci. Technol. 22: 8-14.

Henriksen, A., P.J. Dillon and J. Aherne. 2002. Critical loads of acidity for surface waters in south-central Ontario, Canada: regional application of the steady-state water chemistry (SSWC) model. Can. J. Fish. Aquat. Sci. 59: 1287-1295.

Heyes, A., T.R. Moore, J.W.M. Rudd and J.J. Dugoua. 2000. Methyl mercury in pristine and impounded boreal peatlands, Experimental Lakes Area, Ontario. Can. J. Fish. Aquat. Sci. 57: 2211-2222.

Hoke, R.A., J.P. Geisy and J.R. Adams. 1990. Use of linear orthogonal contrasts in environmental data. Environmental Toxicology and Chemistry, 9: 815-819.

Hubert, W.A. 1996. Passive capture techniques. In: B.R. Murphy and D.W. Willis (eds.), Fisheries Techniques, 2nd ed. American Fisheries Society. Bethesda, Maryland. pp. 157-192.

Hudson, J. H. 1977. Carex in Saskatchewan. Bison Publishing House. Saskatoon, SK.

Jardine, C.G. and S.E. Hrudey. 1988. Threshold detection values of potential fish tainting substances from oil sands wastewaters. Wat. Sci. Tech. 20: 19-25.

Jarvinen, A.W. and G.T. Ankley. 1999. Linkage of effects to tissue residues: development of a comprehensive database for aquatic organisms exposed to inorganic and organic chemicals. Society of Environmental Toxicology and Chemistry (SETAC), Pensacola, FL. 364 pp.

Jeffries, D.S. 1991. Southeastern Canada: An overview of the effect of acidic deposition on aquatic resources. In: (D.F. Charles editor) Acidic Deposition and Aquatic Ecosystems. Springer Verlag, New York. p 273-289.

Jeffries, D.S. 1995. Fresh Water Acidification in Canada Caused by Atmospheric Deposition of Nitrogen Pollutants: A Preliminary Assessment of Existing Information. NWRI contribution No. 95-116.

Johnson, D.L., A.L. Kershaw, A. MacKinnon, J. Pojar, T. Goward and D. Vitt. 1995. Plants of the Western Boreal Forest and Aspen Parkland. Lone Pine Publishing and Canadian Forestry Service. Edmonton, AB.

Jones and Boyer (2002). FY2001 Annual Report of the Water Quality Monitoring Project for the Water Quality Protection Program in the Florida Keys National Marine Sanctuary. Southeast Environmental Research Center Technical Report #T181. Florida International University, Miami, FL. 48 p.

Jones, M.L., G.J. Mann and P.J. McCart. 1978. Fall fisheries investigations in the Athabasca and Clearwater rivers upstream of Fort McMurray: Volume I. Prepared for the Alberta Oil Sands Environmental Research Program (AOSERP) by Environment Canada, Freshwater Institute, Winnipeg, Manitoba. AOSERP Report 35. 71 p.

Kahl, J.S., S.A. Norton, R.K. MacRae, T.A. Haines and R.B. Davis. 1989. The influence of organic acidity on the acid-base chemistry of surface waters in Maine, USA. Water, Air, and Soil Pollution 46: 221-233.

Kamari, J., D.S. Jeffries, D.O. Hessen, A. Henriksen, M. Forsius and M. Posch. 1992. Nitrogen critical loads and their exceedances for surface waters. In: P. Grennfelt, and E. Thornelof (eds.). Proceedings Workshop on Critical loads for Nitrogen, Lokeberg, Sweden, 161-200.

Kershaw, L., J. Gould, D. Johnson, and J. Lancaster. 2001. Rare Vascular Plants of Alberta. University of Alberta Press, Edmonton, Alberta and Natural Resources Canada, Canadian Forest Service, Northern Forestry Centre, Edmonton Alberta.

Kilgour, B.W. and D.R. Barton. 1999. Associations between stream fish and benthos across environmental gradients in southern Ontario, Canada. Freshwater Biology, 41: 553-566.

Kortelainen, P. 1992. Charge Density of Total Organic Carbon in Finnish Lakes Environmental Pollution 77: 107-113.

Kortelainen, P. 1993. Contribution of organic acids to the acidity of Finnish lakes. Publications of the Water and Environment Research Institute No. 13. 1993. National Board of Waters and the Environment, Finland.

Kortelainen, P. 1999. Acidity and Buffer Capacity. Occurrence of Humic Waters. In: Organic Acids in Aquatic Systems. John Wiley and Sons.

Kortelainen, P. and J. Mannio. 1990. Organic acidity in Finnish lakes. In: P. Kauppi, P. Antilla and K. Kenttamies, (eds.). Acidification in Finland. Springer-Verlag. Berlin. p. 849-863.

Kortelainen, P., J. Mannio, M. Forsius, J. Kamari and M. Verta. 1989. Finnish Lake Survey: The role of organic and anthropogenic acidity Water Air and Soil Pollution 46: 235-249.

Kramer, J.R. and S.S. Davies. 1988. Estimation of non-carbonate protolytes in the Eastern Lakes Survey. Environ. Sci. Technol. Vol. 22: 182-185.

Kramer, J.R., P. Brassard, P. Collins, T.A. Clair and P. Takats. 1990. Variability of organic acids in watersheds. In: E.M. Perdue and E.T. Gjessing (eds.) Organic acids in Aquatic Ecosystems. J. Wiley and Sons Ltd. pp.127-139.

Kristofferson, A.H., D.K. McGowan and W.J. Ward. 1986. Fish weirs for the commercial harvest of sea run Arctic char in the Northwest Territories. Can. Ind. Rep. Fish. Aquat. Sci. 174: iv + 31 p.

Lau, Y. K. 1982. Precipitation chemistry. Air Quality Control Branch, Pollution Control Division, Alberta Environment. Edmonton, Alberta. 75 pp.

LaZerte, B.D. and P.J. Dillon. 1984. Relative importance of anthropogenic versus natural sources of acidity in lakes and streams of central Ontario. Can. J. Fish. Aquat. Sci. 1984. 41: 1664-1677.

Lefebvre, Adrien; Regional Municipality of Wood Buffalo Engineering and Public Works Department, (telephone communication March 2, 2005).

Legge, A. H. 1988. The present and potential effects of acidic and acidifying air pollutants on Alberta's Environment. Prepared for the Acid Deposition Research Program by the Kananaskis Centre of Environmental Research, University of Calgary. Calgary Alberta. ADRP-B-16-88. 79pp.

Lockhart, L., P. Wilkinson, R. Hunt and R. Wagemann. 1995. Mercury in lake and marine sediments from Northern Canada. Proceedings of 1995 Canada Mercury Network Workshop. (http://ces.iisc.ernet.in/hpg/envis/prodoc1712.html). Oct. 16, 2004.

MacDonell, D.S. 1991. Enumeration and biological description of migrating fish in the Limestone River, Manitoba, 1990. A report prepared for Manitoba Hydro by North/South Consultants Inc. 86 pp.

MacKay, W.C., G.R. Ash, and H.J. Norris. (eds.). 1990. Fish Ageing Methods for Alberta. RL&L Environmental Services Ltd., in association with Alberta Fish and Wildlife Division and University of Alberta. Edmonton, AB. 113 p.

McCafferty, W.P. and R.P. Randolph. 1988. Canada Mayflies: A faunistic compendium. Proc. Ent. Soc. Ont. 129:47-97.

Merritt, R.W. and K.W. Cummins. 1984. An Introduction to the Aquatic Insects. 2nd Ed. Kendall/Hunt, Dubuque, Iowa. 772 pp.

Merritt, R.W. and K.W. Cummins. 1996. An Introduction to the Aquatic Insects of North America, 3rd ed. Kendall/Hunt Pub. Co., Dubuque, Iowa.

Mill, T.A. 1997. Fish distribution, movement, and gross external pathology information for the Peace, Athabasca, and Slave River Basins. Northern River Basins Study Project Report No. 147. Edmonton, AB, February 1997.

Moss, E.H. 1983. Flora of Alberta. 2nd Edition (Revised by Packer, J.G.). University of Toronto Press. Toronto, ON. 687 pp.

Munkittrick, K.R., M.E. McMaster, G. Van Der Kraak, C. Portt, W.N. Gibbons, A. Farwell, and M. Gray. 2000. Development of methods for effects-driven cumulative effects assessment using fish populations: Moose River Project. Published by the Society of Environmental Toxicology and Chemistry (SETAC). 256 p.

Munson, R. K. and S.A. Guerini. 1993. Influence of organic acids on the pH and acid-neutralizing capacity of Adirondack lakes. Water Resources Research 29: 891-899.

Northern River Basins Study (NRBS), March 1997, Canada - Alberta - Northwest Territories Response to The Northern River Basins Study, Report to the Ministers, Edmonton, Alberta.

Northern River Basins Study (NRBS), March 1997, Canada - Alberta - Northwest Territories Response to The Northern River Basins Study, Report to the Ministers, Edmonton, Alberta.

NWWG (National Wetlands Working Group). 1988. Wetlands of Canada. Ecological Land Classification Series No. 24. Sustainable Development Branch. Environment Canada. Ottawa, ON.

Oliver, B.G., E.M. Thurmond and R. Malcolm. 1983. The contribution of humic substances to the acidity of coloured natural waters. Geochim. Cosmochim. Acta. 47: 2031-2035.

Oliver, D.R. and M.E. Roussel. 1983. The Insects and Arachnids of Canada, Part II: The Genera of Larval Midges of Canada (Diptera: Chironomidae). Ag. Can. Publ. 1746. 263 pp.

Oliver, D.R. and M.E. Roussel. 1983. The Insects and Arachnids of Canada, Part II: The Genera of Larval Midges of Canada (Diptera: Chironomidae). Ag. Can. Publ. 1746. 263 pp.

OPTI Lakes analytical package 2002

Paine, M.D. 1998. Volume II: CANMET/MMSL-INTEMIN manual on statistical analysis of environmental data. Prepared by Paine, Ledge and Associates (PLS). North Vancouver, BC. May 6, 1998. 228 p.

Pennak, R.W. 1989. Freshwater Invertebrates of the United States, Protozoa to Mollusca. Third Edition. John Wiley and Sons Inc., New York, N.Y. 628 pp.

Perdue, E.M., J.H. Reuter and M. Ghosal. 1980. The operational nature of acidic functional group analyses and its impact on mathematical descriptions of acid-base equilibria in humic substances. Geochim. Cosmochim. Acta. 44: 1841-1851.

Persaud, D., R. Jaagumagi and A. Hayton. 1993. Guidelines for the protection and management of aquatic sediment quality in Ontario. Ontario Ministry of Environment and Energy.

Posch, M., P.A.M. De Met, J-P. Hettelingh and R.J. Downing. 1999. Calculation and Mapping of Critical Thresholds in Europe: Status Report 1999. RIVM Report, No. 259101009. Coordination Centre for Effects. National Institute of Public Health and the Environment. Bilthoven, the Netherlands.

Ramdahl, M. 1983. Retene – a molecular marker of wood combustion in ambient air. Nature 306: 580-582.

Rasmussen, J.B., L. Godbout and M.F. Schallenberg. 1989. The humic content of lake water and its relationship to watershed and lake morphometry. Limnol. Oceanogr. 34: 1336-1343.

Reynolds, J.B. 1996. Electrofishing. In, Murphy, B.R. and D.W. Willis (eds.), Fisheries Techniques, Second Edition. American Fisheries Society. Bethesda, Maryland. pp. 221-253.

Rhim, B. 1995. Critical loads of acidity for forest soils and alpine lakes: steady state mass balance method. Published by the Federal office at Environment, Forests and Landscape. Berne, Switzerland.

Roila, T., P. Kortelainen, M.B. David and I. Makinen. 1994. Effect of organic anions of acid neutralizing capacity in surface waters. Environ. Int. 20: 369-372.

Rooke, J.B. and G.L. Mackie. 1982b. An ecological analysis of lotic environments: II. comparison to existing indices. J. Freshwat. Ecol. 1: 433-442.

Rosenberg, D.M. and V.H. Resh (eds.). 1993. Freshwater biomonitoring and benthic macroinvertebrates. Chapman and Hall, New York, 488 p.

Saffran, K. A. and D.O. Trew. 1996. Sensitivity of Alberta Lakes to Acidifying Deposition: an Update of Sensitivity Maps with Emphasis on 109 Northern Lakes. Special report prepared by Water Sciences Branch, Water Management Division, Alberta Environmental Protection.

Scott, W.B. and E.J. Crossman. 1973. Freshwater fishes of Canada. Bulletin 184. Fisheries Research Board of Canada. Ottawa. 966 pp.

Scruton, D.A. and D.H. Taylor. 1989. A survey of dilute lakes on the south coast of insular Newfoundland (Canada) in relation to natural and anthropogenic acidification. Canadian Technical Report of Fisheries and Aquatic Sciences 1711: I-V, 1-58.

Shell Canada Ltd. 2002. Application for Approval of the Jackpine Mine – Phase I. Shell Canada Ltd., Calgary, AB.

Sokal, R.R and F. J. Rohlf. 1981. Biometry: The Principles and Practice of Statistics in Biological Research. W.H. Freeman and Co., New York, 2nd edition.

SPSS Inc. 2000. SYSTAT, Version 10. Evanston, IL.

SPSS Inc. 2002. SYSTAT, Version 10.2. Evanston, IL.

Stewart D.B. and L.M. Bernier. 1999. Common parasites, diseases, and injuries of freshwater fishes in the Northwest Territories and Nunavut. Prepared for: Department of Fisheries and Oceans, Central and Arctic Region, Winnipeg, MB. Prepared by: Arctic Biological Consultants, Winnipeg, MB. 41 pp.

Stewart, K.W. and B.P. Stark. 1988. Nymphs of North American Stonefly Genera (Plecoptera), Ent. Soc. America, Lanham, Maryland. 460 pp.

Stumm W. and J.J. Morgan. 1981. Aquatic Chemistry, 2nd edition. Wiley-Interscience. New York.

Sullivan, T.J., C.T. Driscoll, S.A. Gherini, R.K. Munson, R.B. Cook, D.F. Charles and C.P. Yatsko. 1989. Influence of aqueous aluminum and organic acids on measurements of acid neutralizing capacity in surface waters. Nature 338: 408-410.

ter Braak, C.J.F. 1992. CANOCO. A FORTRAN program for Canonical Community Ordination. Microcomputer Power, Ithaca, New York, USA.

Terrell, J.W. and E.P. Bergersen. 2003. Predicting stream bed particle size distributions that limit oligochaete densities [IN] Proceedings of the 9th Annual Whirling Disease Symposium "Managing the Risk", Seattle, WA, Feb 6-7, 2003: Bell Harbor Conference Center, Seattle, WA, Whirling Disease Foundation, p. 29-30.

Teskey, H.J. 1969. Larvae and Pupae of Some Eastern North American Tabanidae (Diptera). Mem. Ent. Soc. Can. 63.

Thorp, J.H. and A.P. Covich (eds). 1991. Ecology and Classification of North American Freshwater Invertebrates. Academic Press, Inc, Toronto. 911 pp.

Toutant, Victor; Alberta-Pacific Forest Industries Inc, (telephone communication March 1. 2005).

Underwood, A.J. 1994. On beyond BACI: sampling designs that might reliably detect environmental disturbances. Ecological Applications 4: 3-15.

UNECE. 1996. Manual on Methodologies and Criteria for Mapping Critical Levels/Loads and Geographical Areas where they are Exceeded. United Nations Coordination Centre for Effects. Task Force on Mapping. Federal Environmental Agency, Berlin.

USEPA. 2000. Guidance for assessing chemical contaminant data for use in fish advisories. Volume 2. Risk assessment and fish consumption limits. Third Edition. EPA 823-B-00-008. November 2000. Office of Water. USEPA. Washington, DC.

USEPA. 2003. Region III risk-based concentration table. (http://www.epa.gov/reg3hwmd/risk/index.htm). April 16, 2003.

USGS (United States Geological Survey). 1982. Measurement and Computation of Streamflow: Volume 1. Measurement of Stage and Discharge. By S.E. Rantz et al. Geological Survey Water Supply Paper 2175. United States Government Printing Office, Washington.

Vujnovic, K. and J. Gould. 2002. Alberta Natural Heritage Information Centre Tracking and Watch Lists – Vascular Plants, Mosses, Liverworts and Hornworts. Alberta Community Development, Parks and Protected Areas Division, Edmonton, AB.

Washington, H.G. 1984. Diversity, biotic, and similarity indices: A review with special relevance to aquatic ecosystems. Water. Res. 18: 653-694.

Water Survey of Canada. 2001. Hydrometric Technician Career Development Program. http://www.smc-msc.ec.gc.ca/wsc/CDP/.

Welsh, P.G., J. Lipton, G.A. Chapman and T.L. Podrabsky. 2000. Relative importance of calcium and magnesium in hardness-based modification of copper toxicity. Env. Tox. Chem. 19 (6): 1624-1631.

Westfall, M.J., Jr. and M.L. May. 1996. Damselflies of North America. Scientific Publishers, Gainesville, Florida. 649 pp.

Wetzel, R.G. 1973. Limnology. Saunders College Publishing. Philadelphia, PA. 767 p.

Wiederholm, T. (ed.). 1986. Chironomidae of the Holarctic Region. Keys and Diagnosis. Part 1. - Larvae. Ent. Scand. Suppl. No. 19. 457 pp.

Wiggins, G.B. 1996. Larvae of the North American Caddisfly Genera (Trichoptera). 2nd ed. University of Toronto Press. Toronto, ON. 457 pp.

Wilkinson, K.J., H.G. Jones, P.G.C. Campbell and M. Lachance. 1992. Estimating organic acid contributions to surface water acidity in Quebec. Water, Air and Soil Pollution 61: 57-74.

Wright, R.F. 1984. Norwegian models for surface water chemistry: An overview. In: J.L. Schnoor, (ed.). Modeling of Total Acid Precipitation Impacts. Acid precipitation Series – Volume 9. Butterworth Publishers. 222 pp.

Wrona, F.J., M. Culp and R.W. Davies. 1982. Macroinvertebrate Subsampling: a Simplified Apparatus and Approach. Canadian Journal of Fisheries Aquatic Science. 39:1051-1054.

WRS. 1999. A review of acidification of humic lakes with recommendations for further studies. Report to Alberta Environment by Western Resource Solutions.

WRS. 2000. Critical loads of acidity to 162 lakes sampled by Alberta-Pacific Forest Industries during 1998. Special Report prepared for Syncrude Canada Ltd., Fort McMurray.

WRS. 2003. Calculation of critical loads of acidity to lakes in the oil sands region. Report to the NOX-SOX Management Working Group, Fort McMurray Alberta.

WRS. 2004. Calculations of critical loads of acidity to lakes in the oil sands region. Report by Western Resource Solutions to the NOx-SOx Management Working Group.

Zloty, J. and G. Pritchard. 1997. Larvae and Adults of Ameletus Mayflies (Ephemeroptera: Ameletidae) from Alberta. Can Ent. 129:251-289.